



## uniVACUUSYS

|                            |   |                            |
|----------------------------|---|----------------------------|
| <b>Product description</b> | LLG-uniVACUUSYS Vacuum Aspiration System with integrated vacuum pump and vacuum controller is ideally suited for aspirating liquids in Life Science applications, e.g. the removal of media from cell cultures, aspiration of supernatants after centrifugation, or the removal of wash solutions from Immuno assay plates. The set vacuum is automatically readjusted in case of deviations. |                            |
| <b>Characteristics</b>     | <ul style="list-style-type: none"> <li>- Integrated vacuum pump with vacuum control</li> <li>- Easy to use</li> <li>- Self-closing connectors for quick installation and prevention of liquid or aerosol escape.</li> <li>- Liquid level sensor, prevents liquid overflow</li> <li>- Autoclavable waste collection bottle and nozzle</li> </ul>   |                            |
| <b>Delivery includes</b>   | Vacuum Aspiration System with integrated vacuum pump, 4 liter waste collection bottle, single channel needle and 8-channel needle aspirator handle, tubing and quick-connectors   |                            |
| <b>Specifications</b>      | <b>Vacuum range:</b>  | 0 to 600 mbar (adjustable) |
|                            | <b>Aspiration rate:</b>   | 1 to 15 ml/s               |
|                            | <b>Noise emission:</b>  | <50 dB(A)                  |
|                            | <b>Dimensions (W x D x H):</b>  | 180 x 320 x 530 mm         |
|                            | <b>Weight:</b>  | 3.4 kg                     |
|                            | <b>Power supply:</b>  | 100-240 V, 50/60 Hz        |
|                            | <b>Warranty:</b>  | 3 years                    |

| Description                   | PK | Cat. No.  |
|-------------------------------|----|-----------|
| LLG-uniVACUUSYS, with EU plug | 1  | 6.263 585 |
| LLG-uniVACUUSYS, with UK plug | 1  | 6.263 586 |